


"ANNOTATED MARKED-UP DRAWINGS"



Instrument Data Flow - Sequence Diagram (Fig. 2)




examples

* Action examples:

- > Log event (local file, server file, server database)
- > Send eMail (single mode, repeated notification)
- > Send page (single mode, repeated notification)
- > RestartApplication
- > Interact with load balancing equipment

"ANNOTATED MARKED-UP DRAWINGS"


P.A.M. Engine Data
Flow: CLS, IDS (Fig. 5)



Application
* Refer to U.S. Patent 09/596,763

"ANNOTATED MARKED-UP DRAWINGS"

P.A.M. Log Handling (Fig. 6)



Application
* Refer to U.S. Patent 09/596,763
A


"ANNOTATED MARKED-UP DRAWINGS"

P.A.M. Engine Data Flow: Evaluation Engine (Fig. 7)

* Assumes Engine has been started up, as illustrated in Fig. 8

Two sample methods are detailed below.

Time based decisions are depicted as an example in Fig. 5




Application
* Refer to U.S. Patent 09/596,763

"ANNOTATED MARKED-UP DRAWINGS"

Startup

Startup of Evaluation Engine (Fig. 8)

*Note: Considerable care was taken to avoid racing conditions during application start-up. This diagram represents the primary scenario only



"ANNOTATED MARKED-UP DRAWINGS"

Restart Application (Fig. 10)

